

**Residential Electric Product**

**Need Help - Use Bookmarks on the left side.**

AWHC AMERICAN  
AOS A.O. SMITH

Element: 'D' Double; 'S' Single

↑ 1st Hour Rating Gal.

↑ Energy Factor

**Warranty**

Brand	Models	Gal.	Watts	Elt	1 <sup>st</sup> Hr	E.F.	Dia.	Ht.	Tank	Parts
<b><u>TALL 30 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AOS	EEST-30	30	4500	D	43	0.89	18	45 1/4	6-Year	2-Year
AOS	EESC-30	30	4500	D	43	0.89	18	45 1/4	6-Year	6-Year
AWHC	<b><u>E62-30H-045DV</u></b>	30	4500	D	43	0.93	18	45 1/4	6-Year	6-Year
AOS	<b><u>ECT-30</u></b>	30	4500	D	43	0.93	18	46 1/2	6-Year	6-Year
AOS	PEST-30	30	4500	D	43	0.89	18	45 1/4	10-Year	2-Year
AOS	<b><u>PCT-30</u></b>	30	4500	D	43	0.93	18	46 1/2	10-Year	6-Year
<b><u>TALL 40 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AOS	EEST-40	40	4500	D	52	0.89	18	59 1/4	6-Year	2-Year
AOS	EESC-40	40	4500	D	52	0.89	18	59 1/4	6-Year	6-Year
AWHC	<b><u>E62-40H-045DV</u></b>	40	4500	D	50	0.92	18	59	6-Year	6-Year
AOS	EEHT-40	40	4500	D	52	0.92	18	60	6-Year	2-Year
AOS	<b><u>ECT-40</u></b>	40	4500	D	52	0.92	18	59 1/2	6-Year	6-Year
AOS	<b><u>ECRT-40</u></b>	40	4500	D	54	0.93	19	60	6-Year	6-Year
AOS	PEST-40	40	4500	D	52	0.89	18	59 1/4	10-Year	2-Year
AWHC	<b><u>E92-40H-045DV</u></b>	40	4500	D	50	0.92	18	59	9-Year	9-Year
AOS	<b><u>PCT-40</u></b>	40	4500	D	52	0.92	18	59 1/2	10-Year	6-Year
AOS	<b><u>PCRT-40</u></b>	40	4500	D	54	0.93	19	60	10-Year	6-Year
AWHC	<b><u>E123-40H-045DV</u></b>	40	4500	D	50	0.92	20	59	12-Year	12-Year
AOS	PEHT-40	40	4500	D	52	0.92	18	60	10-Year	10-Year
AOS	<b><u>PXHT-40</u></b>	40	4500	D	56	0.95	20	60 1/2	10-Year	10-Year
<b><u>TALL 50 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AOS	EEST-52	55	4500	D	64	0.86	19 1/2	58 3/4	6-Year	2-Year
AOS	EESC-52	55	4500	D	64	0.86	19 1/2	58 3/4	6-Year	6-Year
AOS	<b><u>ECT-55</u></b>	55	4500	D	64	0.90	20 1/2	60 1/4	6-Year	6-Year
AWHC	<b><u>E62-50H-045DV</u></b>	50	4500	D	68	0.91	20	58 1/2	6-Year	6-Year
AOS	EEH-52	50	4500	D	60	0.92	21 3/4	55 1/2	6-Year	2-Year
AOS	<b><u>ECRT-52</u></b>	50	4500	D	60	0.93	21 1/2	56 1/2	6-Year	6-Year
AWHC	<b><u>E63-50H-045DOV</u></b>	50	4500	D	68	0.93	22	59 1/4	6-Year	6-Year
AOS	PEST-52	55	4500	D	64	0.86	19 1/2	58 3/4	10-Year	2-Year
AOS	<b><u>PCT-55</u></b>	55	4500	D	64	0.90	20 1/2	60 1/4	10-Year	6-Year
AWHC	<b><u>E92-50H-045DV</u></b>	50	4500	D	68	0.91	20	58 1/2	9-Year	9-Year
AOS	<b><u>PCRT-52</u></b>	50	4500	D	60	0.93	21 1/2	56 1/2	10-Year	6-Year
AOS	PEH-52	50	4500	D	60	0.92	21 3/4	54	10-Year	10-Year
AWHC	<b><u>E123-50H-045DOV</u></b>	50	4500	D	68	0.93	22	59 1/4	12-Year	12-Year
AOS	<b><u>PXHT-52</u></b>	50	4500	D	60	0.95	22 1/2	57	10-Year	10-Year

**Residential Electric Product**

**Need Help - Use Bookmarks on the left side.**

AWHC AMERICAN  
AOS A.O. SMITH

Element: 'D' Double; 'S' Single

↑ 1st Hour Rating Gal.

↑ Energy Factor

**Warranty**

Brand	Models	Gal.	Watts	Elt	1 <sup>st</sup> Hr	E.F.	Dia.	Ht.	Tank	Parts
<b><u>TALL 66 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AOS	EES-66	66	4500	D	72	0.84	21 3/4	59 3/4	6-Year	2-Year
AOS	EC-66	66	4500	D	72	0.84	21 3/4	59 3/4	6-Year	6-Year
AOS	<b><u>ECT-66</u></b>	66	4500	D	72	0.88	22	60 1/4	6-Year	6-Year
AWHC	<b><u>E62-65H-045DV</u></b>	66	4500	D	73	0.90	22	59 1/4	6-Year	6-Year
AOS	<b><u>ECRT-66</u></b>	66	4500	D	76	0.92	23	61	6-Year	6-Year
AOS	EEH-66	66	4500	D	76	0.95	24	61	6-Year	2-Year
AOS	PES-66	66	4500	D	72	0.84	21 3/4	59 3/4	10-Year	2-Year
AOS	<b><u>PCT-66</u></b>	66	4500	D	72	0.88	22	60 1/4	10-Year	6-Year
AWHC	<b><u>E92-65H-045DV</u></b>	66	4500	D	73	0.90	22	59 1/4	9-Year	9-Year
AOS	<b><u>PCRT-66</u></b>	66	4500	D	76	0.92	23	61	10-Year	6-Year
AOS	PEC-66	66	4500	D	72	0.84	21 3/4	60	10-Year	10-Year
AWHC	<b><u>E123-65H-045DCV</u></b>	66	4500	D	73	0.91	24	60 1/4	12-Year	12-Year
AOS	<b><u>PXHT-66</u></b>	66	4500	D	72	0.95	24	62	10-Year	10-Year
AOS	PEH-66	66	4500	D	76	0.95	24	61	10-Year	10-Year
<b><u>TALL 80 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AOS	EES-80	80	4500	D	81	0.84	24	58 1/4	6-Year	2-Year
AOS	<b><u>ECT-80</u></b>	80	4500	D	81	0.86	24	60 1/4	6-Year	6-Year
AOS	EC-80	80	4500	D	81	0.87	24	58 1/4	6-Year	6-Year
AWHC	<b><u>E62-80H-045DV</u></b>	80	4500	D	89	0.87	24	59 1/4	6-Year	6-Year
AOS	EEH-80	80	4500	D	87	0.92	24	60	6-Year	2-Year
AOS	<b><u>ECRT-80</u></b>	80	4500	D	87	0.93	25	61 1/2	6-Year	6-Year
AOS	<b><u>PCT-80</u></b>	80	4500	D	81	0.86	24	60 1/4	10-Year	6-Year
AOS	PES-80	80	4500	D	81	0.87	24	58 1/4	10-Year	2-Year
AWHC	<b><u>E92-80H-045DV</u></b>	80	4500	D	89	0.87	24	59 1/4	9-Year	9-Year
AOS	<b><u>PCRT-80</u></b>	80	4500	D	87	0.93	25	61 1/2	10-Year	6-Year
AOS	PEC-80	80	4500	D	81	0.86	24	58	10-Year	10-Year
AWHC	<b><u>E123-80H-045DCV</u></b>	80	4500	D	89	0.91	26	60 1/4	12-Year	12-Year
AOS	PEH-80	80	4500	D	89	0.92	25 1/4	61	10-Year	10-Year
AOS	<b><u>PXHT-80</u></b>	80	4500	D	81	0.95	26	62	10-Year	10-Year
<b><u>TALL 120 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AOS	<b><u>ECT-120</u></b>	119	4500	D	112	0.81	28	64 1/4	6-Year	6-Year
AOS	EES-120	119	4500	D	112	0.83	29 1/2	61 3/4	6-Year	2-Year
AOS	EC-120	119	4500	D	112	0.83	29 1/2	61 3/4	6-Year	6-Year
AWHC	<b><u>E62-119R-045DV</u></b>	119	4500	D	115	0.83	28	61 1/2	6-Year	6-Year
AOS	<b><u>PCT-120</u></b>	119	4500	D	112	0.81	28	64 1/4	10-Year	6-Year
AOS	PES-120	119	4500	D	112	0.83	29 1/2	61 3/4	10-Year	2-Year
AOS	PEC-120	119	4500	D	115	0.83	29 1/2	62	10-Year	10-Year

**Residential Electric Product**

**Need Help - Use Bookmarks on the left side.**

AWHC AMERICAN  
AOS A.O. SMITH

Element: 'D' Double; 'S' Single

↑ 1st Hour Rating Gal.

↑ Energy Factor

**Warranty**

Brand	Models	Gal.	Watts	Elt	1 <sup>st</sup> Hr	E.F.	Dia.	Ht.	Tank	Parts
<b><u>REGULAR 30 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AOS	EES-30	30	4500	D	43	0.89	20 1/2	34 1/2	6-Year	2-Year
AOS	EC-30	30	4500	D	43	0.89	20 1/2	34 1/2	6-Year	6-Year
AWHC	<b><u>E62-30L-045DV</u></b>	28	4500	D	40	0.93	22	29 1/2	6-Year	6-Year
AOS	<b><u>ECS-30</u></b>	30	4500	D	43	0.93	20 1/2	36 1/2	6-Year	6-Year
AOS	PES-30	30	4500	D	43	0.89	20 1/2	34 1/2	10-Year	2-Year
AOS	<b><u>PCS-30</u></b>	30	4500	D	43	0.93	20 1/2	36 1/2	10-Year	6-Year
AOS	PEC-30	30	4500	D	43	0.93	20 1/2	34 1/2	10-Year	10-Year
<b><u>REGULAR 40 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AOS	EES-40	40	4500	D	52	0.89	20 1/2	44	6-Year	2-Year
AOS	EC-40	40	4500	D	52	0.89	20 1/2	44	6-Year	6-Year
AOS	<b><u>ECS-40</u></b>	40	4500	D	52	0.92	20 1/2	44	6-Year	6-Year
AWHC	<b><u>E62-40R-045DV</u></b>	40	4500	D	54	0.92	20	47 1/4	6-Year	6-Year
AOS	PES-40	40	4500	D	52	0.89	20 1/2	44	10-Year	2-Year
AOS	<b><u>PCS-40</u></b>	40	4500	D	52	0.92	20 1/2	44	10-Year	6-Year
AWHC	<b><u>E92-40R-045DV</u></b>	40	4500	D	54	0.92	20	47 1/4	9-Year	9-Year
AOS	PEC-40	40	4500	D	52	0.92	20 1/2	44	10-Year	10-Year
AWHC	<b><u>E123-40R-045DHV</u></b>	40	4500	D	54	0.92	22	47 1/4	12-Year	12-Year
AOS	<b><u>PXHS-40</u></b>	40	4500	D	52	0.95	22 1/2	47	10-Year	10-Year
<b><u>REGULAR 50 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AOS	EES-52	50	4500	D	60	0.87	20 1/2	53 3/4	6-Year	2-Year
AOS	EC-52	50	4500	D	60	0.87	20 1/2	53 3/4	6-Year	6-Year
AOS	EES-50	50	4500	D	62	0.87	23	46 3/4	6-Year	2-Year
AWHC	<b><u>E61-50R-045DV</u></b>	50	4500	D	58	0.90	20	50	6-Year	6-Year
AOS	<b><u>ECS-50</u></b>	50	4500	D	62	0.90	22	48	6-Year	6-Year
AOS	<b><u>ECT-52</u></b>	50	4500	D	60	0.91	20 1/2	54	6-Year	6-Year
AWHC	<b><u>E63-50R-045DCV</u></b>	50	4500	D	58	0.93	24	47 3/4	6-Year	6-Year
AOS	<b><u>ECRS-50</u></b>	50	4500	D	62	0.93	23	49	6-Year	6-Year
AOS	PES-52	50	4500	D	60	0.88	20 1/2	53 3/4	10-Year	2-Year
AOS	<b><u>PCS-50</u></b>	50	4500	D	62	0.90	22	48	10-Year	6-Year
AWHC	<b><u>E92-50R-045DV</u></b>	50	4500	D	58	0.91	22	46 3/4	9-Year	9-Year
AOS	<b><u>PCT-52</u></b>	50	4500	D	60	0.91	20 1/2	54	10-Year	6-Year
AOS	<b><u>PCRS-50</u></b>	50	4500	D	62	0.93	23	49	10-Year	6-Year
AOS	PEC-52	50	4500	D	60	0.87	20 1/2	55 1/2	10-Year	10-Year
AWHC	<b><u>E123-50R-045DCV</u></b>	50	4500	D	58	0.93	24	47 3/4	12-Year	12-Year
AOS	<b><u>PXHS-52</u></b>	50	4500	D	62	0.95	24	50	10-Year	10-Year
<b><u>LOWBOY 15 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AOS	ELJF-15	15	1500	S	NA	NA	14 1/4	32 1/2	6-Year	2-Year
AOS	<b><u>ELJC-15</u></b>	15	1500	S	NA	NA	14 1/4	32 1/4	6-Year	6-Year
AOS	PLJF-15	15	1500	S	NA	NA	14 1/4	32 1/2	10-Year	2-Year
AOS	<b><u>PLJC-15</u></b>	15	1500	S	NA	NA	14 1/4	32 1/4	10-Year	6-Year

**Residential Electric Product**

**Need Help - Use Bookmarks on the left side.**

AWHC AMERICAN  
AOS A.O. SMITH

Element: 'D' Double; 'S' Single

↑ 1st Hour Rating Gal.

↑ Energy Factor

**Warranty**

Brand	Models	Gal.	Watts	Elt	1 <sup>st</sup> Hr	E.F.	Dia.	Ht.	Tank	Parts
<b><u>LOWBOY 20 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AOS	ELJF-20	20	2500	S	NA	NA	18	32 1/4	6-Year	2-Year
AOS	<b><u>ELJC-20</u></b>	20	2500	S	NA	NA	18	32 1/4	6-Year	6-Year
AWHC	<b><u>E61-19L-045DV</u></b>	19	4500	D	NA	NA	16	31 1/4	6-Year	6-Year
AOS	PLJF-20	20	2500	S	NA	NA	18	32 1/4	10-Year	2-Year
AOS	<b><u>PLJC-20</u></b>	20	2500	S	NA	NA	18	32 1/4	10-Year	6-Year
<b><u>LOWBOY 30 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AOS	ELJF-30	30	4500	D	41	0.89	21 3/4	31	6-Year	2-Year
AOS	ELJC-30	30	4500	D	41	0.89	21 3/4	31	6-Year	6-Year
AOS	ELF-30	30	4500	D	53	0.90	21 3/4	29 1/2	6-Year	2-Year
AWHC	<b><u>E62-30L-045DV</u></b>	28	4500	D	40	0.93	22	29 1/2	6-Year	6-Year
AOS	<b><u>ECL-30</u></b>	30	4500	D	41	0.93	22	30	6-Year	6-Year
AOS	PLJF-30	30	4500	D	41	0.89	21 3/4	31	10-Year	2-Year
AOS	<b><u>PCL-30</u></b>	30	4500	D	41	0.93	22	30	10-Year	6-Year
<b><u>LOWBOY 40 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AOS	ELJF-40	40	4500	D	48	0.88	23 1/4	32 1/4	6-Year	2-Year
AOS	ELJC-40	40	4500	D	48	0.88	23 1/4	32 1/4	6-Year	6-Year
AWHC	<b><u>E61-40L-045DV***</u></b>	38	4500	D	45	0.92	22	31 5/8	6-Year	6-Year
AWHC	<b><u>E62-40L-045DV</u></b>	38	4500	D	45	0.92	24	31 5/8	6-Year	6-Year
AOS	ECL-40	40	4500	D	48	0.92	25	32 1/4	6-Year	6-Year
AOS	<b><u>ECLN-40</u></b>	40	4500	D	48	0.92	23	31 1/2	6-Year	6-Year
AOS	PLJF-40	40	4500	D	48	0.88	23 1/4	32 1/4	10-Year	2-Year
AOS	PCL-40	40	4500	D	48	0.92	25	32 1/4	10-Year	6-Year
AOS	<b><u>PCLN-40</u></b>	40	4500	D	48	0.92	23	31 1/2	10-Year	6-Year
<b><u>LOWBOY 50 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AOS	ELJF-50	50	4500	D	55	0.87	25 1/4	32 1/4	6-Year	2-Year
AOS	ELJC-50	50	4500	D	55	0.87	25 1/4	32 1/4	6-Year	6-Year
AWHC	<b><u>E61-50L-045DV***</u></b>	46.5	4500	D	52	0.91	24	31 5/8	6-Year	6-Year
AWHC	<b><u>E62-50L-045DV</u></b>	46.5	4500	D	52	0.91	26	31 5/8	6-Year	6-Year
AOS	<b><u>ECL-50</u></b>	50	4500	D	55	0.91	26 1/2	34	6-Year	6-Year
AOS	PLJF-50	50	4500	D	55	0.87	25 1/4	32 1/4	10-Year	2-Year
AOS	<b><u>PCL-50</u></b>	50	4500	D	55	0.91	26 1/2	34	10-Year	6-Year
<b><u>MOBILE HOME 20 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AOS	<b><u>ESM-20</u></b>	19.9	1650	S	NA	NA	17	34	5-Year	1-Year
<b><u>MOBILE HOME 30 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AWHC	<b><u>MHE62-30L-045DV</u></b>	28	4500	D	40	0.93	22	29 1/2	6-Year	6-Year
AWHC	<b><u>MHE62-30H-045DV</u></b>	30	4500	D	43	0.93	18	45 1/4	6-Year	6-Year
AOS	<b><u>ESM-30</u></b>	30	3800	D	43	0.93	20 1/2	37 1/2	5-Year	1-Year
<b><u>MOBILE HOME 40 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AWHC	<b><u>MHE62-40R-045DV</u></b>	40	4500	D	54	0.92	20	47 1/4	6-Year	6-Year
AOS	<b><u>ESM-40</u></b>	40	4500	D	51	0.93	20 1/2	46	5-Year	1-Year
<b><u>MOBILE HOME 50 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AOS	<b><u>ESM-50</u></b>	50	4500	D	58	0.95	20 1/2	56	5-Year	1-Year

**Residential Electric Product**

**Need Help - Use Bookmarks on the left side.**

AWHC AMERICAN  
AOS A.O. SMITH

Element: 'D' Double; 'S' Single

↑ 1st Hour Rating Gal.

↑ Energy Factor

**Warranty**

Brand	Models	Gal.	Watts	Elt	1 <sup>st</sup> Hr	E.F.	Dia.	Ht.	Tank	Parts
<b><u>TABLE TOP 30 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AOS	<b><u>ESTT-30</u></b>	30	4500	D	45	0.89	21	36	6-Year	6-Year
<b><u>TABLE TOP 40 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AWHC	<b><u>E62-38T-045DV</u></b>	38	4500	D	45	0.88	24	36	6-Year	6-Year
AOS	<b><u>ESTT-40</u></b>	40	4500	D	52	0.88	24	36	6-Year	6-Year
<b><u>UTILITY 2 to 4 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AOS	<b><u>ELC-2</u></b>	2.5	1500	S	NA	NA	10	12 3/4	1-Year	1-Year
AWHC	<b><u>E1E2.5US013V</u></b>	2.5	1350	S	NA	NA	14	14	6-Year	6-Year
AOS	<b><u>ELJC-2</u></b>	2	1440	S	NA	NA	10	12 3/4	6-Year	6-Year
AOS	<b><u>ELC-4</u></b>	4	1500	S	NA	NA	10	20	1-Year	1-Year
AOS	<b><u>ELJC-4</u></b>	4	1440	S	NA	NA	10	20	6-Year	6-Year
<b><u>UTILITY 6 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AWHC	<b><u>E61-06U-015SV</u></b>	6	1500	S	NA	NA	14	16 3/4	6-Year	6-Year
AOS	<b><u>ELJF-6</u></b>	6	1500	S	NA	NA	14 1/4	15 1/2	6-Year	2-Year
AOS	<b><u>ELJC-6</u></b>	6	1500	S	NA	NA	14 1/4	15 1/2	6-Year	6-Year
AOS	<b><u>PLJF-6</u></b>	6	1500	S	NA	NA	14 1/4	15 1/2	10-Year	2-Year
AOS	<b><u>PLJC-6</u></b>	6	1500	S	NA	NA	14 1/4	15 1/2	10-Year	6-Year
<b><u>UTILITY 10 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AWHC	<b><u>E61-12U-015SV</u></b>	12	1500	S	NA	NA	16	22 3/4	6-Year	6-Year
AOS	<b><u>ELSF-10</u></b>	10	1500	S	NA	NA	18	18	6-Year	2-Year
AOS	<b><u>ELSC-10</u></b>	10	1500	S	NA	NA	18	18	6-Year	6-Year
AOS	<b><u>PLSC-10</u></b>	10	1500	S	NA	NA	18	18	10-Year	6-Year
<b><u>UTILITY 15 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AOS	<b><u>ELSF-15</u></b>	15	1500	S	NA	NA	18	25 3/4	6-Year	2-Year
AOS	<b><u>ELSC-15</u></b>	15	1500	S	NA	NA	18	25 3/4	6-Year	6-Year
AOS	<b><u>PLSC-15</u></b>	15	1500	S	NA	NA	18	25 3/4	10-Year	6-Year
<b><u>UTILITY 20 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AWHC	<b><u>E61-20U-015SV</u></b>	19	1500	S	NA	NA	18	25	6-Year	6-Year
AOS	<b><u>ELSF-20</u></b>	20	2500	S	NA	NA	21 3/4	22 1/4	6-Year	2-Year
AOS	<b><u>ELSC-20</u></b>	20	2500	S	NA	NA	21 3/4	22 1/4	6-Year	6-Year
AOS	<b><u>PLSC-20</u></b>	20	2500	S	NA	NA	21 3/4	22 1/4	10-Year	6-Year
<b><u>UTILITY 30 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AOS	<b><u>ELSF-30</u></b>	30	4500	S	37	0.89	21 3/4	30 3/4	6-Year	2-Year
AOS	<b><u>ECJ-30</u></b>	30	4500	S	37	0.93	22	30	6-Year	6-Year
AWHC	<b><u>MHE62-30L-045DV</u></b>	28	4500	D	40	0.93	22	29 1/2	6-Year	6-Year
AOS	<b><u>PCJ-30</u></b>	30	4500	S	37	0.93	22	30	10-Year	6-Year
<b><u>UTILITY 40 GALLON</u></b>		<b>Gal.</b>	<b>Watts</b>	<b>Elt</b>	<b>1stHr</b>	<b>E.F.</b>	<b>Dia.</b>	<b>Ht.</b>	<b>Tank</b>	<b>Parts</b>
AOS	<b><u>ELSF-40</u></b>	40	4500	S	43	0.89	23 1/4	32 1/4	6-Year	2-Year
AOS	<b><u>ECJ-40</u></b>	40	4500	S	43	0.92	25	32 1/4	6-Year	6-Year
AOS	<b><u>ECJN-40</u></b>	40	4500	S	48	0.92	23	31 1/4	6-Year	6-Year
AOS	<b><u>PCJ-40</u></b>	40	4500	S	43	0.92	25	32 1/2	10-Year	6-Year