

Residential Electric Product

Need Help - Use Bookmarks on the left side.

AWHC AMERICAN
BWC BRADFORD WHITE

Element: 'D' Double; 'S' Single
↑ 1st Hour Rating Gal.
↑ Energy Factor

Brand	Models	Gal.	Watts	Elt	1 st Hr	E.F.	Dia.	Ht.	Tank	Warranty Parts
<u>TALL 30 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
BWC	M-I-30R6DS	30	4500	D	50	0.89	16	46 1/2	6-Year	6-Year
BWC	M-II-30R6DS	30	4500	D	50	0.90	18	46 1/2	6-Year	6-Year
AWHC	<u>E62-30H-045DV</u>	30	4500	D	43	0.93	18	45 1/4	6-Year	6-Year
BWC	<u>M-2-30R6DS</u>	30	4500	D	50	0.93	18	47 1/4	6-Year	6-Year
BWC	M-I-30R10DS	30	4500	D	50	0.89	16	46 1/2	10-Year	6-Year
BWC	M-II-30R10DS	30	4500	D	50	0.90	18	46 1/2	10-Year	6-Year
BWC	<u>M-2-30R10DS</u>	30	4500	D	50	0.93	18	47 1/4	10-Year	6-Year
<u>TALL 40 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
BWC	M-I-40T6DS	40	4500	D	61	0.88	16	59 1/2	6-Year	6-Year
BWC	M-II-40T6DS	40	4500	D	61	0.89	18	59 1/2	6-Year	6-Year
AWHC	<u>E62-40H-045DV</u>	40	4500	D	50	0.92	18	59	6-Year	6-Year
BWC	<u>M-2-40T6DS</u>	40	4500	D	56	0.92	18	59 3/4	6-Year	6-Year
BWC	M-III-40T6DS	40	4500	D	61	0.93	20	59 1/2	6-Year	6-Year
BWC	M-I-40T10DS	40	4500	D	61	0.88	16	59 1/2	10-Year	6-Year
BWC	M-II-40T10DS	40	4500	D	61	0.89	18	59 1/2	10-Year	6-Year
AWHC	<u>E92-40H-045DV</u>	40	4500	D	50	0.92	18	59	9-Year	9-Year
BWC	<u>M-2-40T10DS</u>	40	4500	D	56	0.92	18	59 3/4	10-Year	6-Year
AWHC	<u>E123-40H-045DV</u>	40	4500	D	50	0.92	20	59	12-Year	12-Year
BWC	M-III-40T10DS	40	4500	D	61	0.93	20	59 1/2	10-Year	10-Year
<u>TALL 50 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
BWC	M-I-50T6DS	50	4500	D	71	0.86	18	57 1/2	6-Year	6-Year
BWC	M-II-50T6DS	50	4500	D	71	0.89	20	57 1/2	6-Year	6-Year
BWC	<u>M-2-50T6DS</u>	50	4500	D	67	0.90	20	57 1/2	6-Year	6-Year
AWHC	<u>E62-50H-045DV</u>	50	4500	D	68	0.91	20	58 1/2	6-Year	6-Year
BWC	M-III-50T6DS	50	4500	D	71	0.91	22	57 1/2	6-Year	6-Year
AWHC	<u>E63-50H-045DOV</u>	50	4500	D	68	0.93	22	59 1/4	6-Year	6-Year
BWC	M-I-50T10DS	50	4500	D	71	0.86	18	57 1/2	10-Year	6-Year
BWC	M-II-50T10DS	50	4500	D	71	0.89	20	57 1/2	10-Year	6-Year
BWC	<u>M-2-50T10DS</u>	50	4500	D	67	0.90	20	57 1/2	10-Year	6-Year
AWHC	<u>E92-50H-045DV</u>	50	4500	D	68	0.91	20	58 1/2	9-Year	9-Year
BWC	M-III-50T10DS	50	4500	D	71	0.91	22	57 1/2	10-Year	10-Year
AWHC	<u>E123-50H-045DOV</u>	50	4500	D	68	0.93	22	59 1/4	12-Year	12-Year
<u>TALL 66 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
BWC	M-I-65R6DS	65	4500	D	77	0.84	20	59 1/4	6-Year	6-Year
BWC	M-II-65R6DS	65	4500	D	77	0.89	22	59 1/8	6-Year	6-Year
BWC	<u>M-2-65R6DS</u>	65	4500	D	77	0.89	22	59 1/4	6-Year	6-Year
AWHC	<u>E62-65H-045DV</u>	66	4500	D	73	0.90	22	59 1/4	6-Year	6-Year
BWC	M-III-65R6DS	65	4500	D	77	0.91	24	59 1/4	6-Year	6-Year
BWC	<u>M-2-HE-65R6DS</u>	65	4500	D	77	0.91	22	60 1/4	6-Year	6-Year
BWC	M-I-65R10DS	65	4500	D	77	0.84	20	59 1/4	10-Year	6-Year
BWC	M-II-65R10DS	65	4500	D	77	0.89	22	59 1/8	10-Year	6-Year
BWC	<u>M-2-65R10DS</u>	65	4500	D	77	0.89	22	59 1/4	10-Year	6-Year
AWHC	<u>E92-65H-045DV</u>	66	4500	D	73	0.90	22	59 1/4	9-Year	9-Year
BWC	<u>M-2-HE-65R10DS</u>	65	4500	D	77	0.91	22	60 1/4	10-Year	6-Year
AWHC	<u>E123-65H-045DCV</u>	66	4500	D	73	0.91	24	60 1/4	12-Year	12-Year
BWC	M-III-65R10DS	65	4500	D	77	0.91	24	59 1/4	10-Year	10-Year

Residential Electric Product

Need Help - Use Bookmarks on the left side.

AWHC AMERICAN
BWC BRADFORD WHITE

Element: 'D' Double; 'S' Single
↑ 1st Hour Rating Gal.
↑ Energy Factor

Brand	Models	Gal.	Watts	Elt	1 st Hr	E.F.	Dia.	Ht.	Tank	Parts
<u>TALL 80 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
BWC	M-I-80R6DS	80	4500	D	90	0.82	22	59	6-Year	6-Year
BWC	M-II-80R6DS	80	4500	D	90	0.84	24	59	6-Year	6-Year
BWC	<u>M-1-80R6DS</u>	80	4500	D	92	0.86	22	60 1/4	6-Year	6-Year
AWHC	<u>E62-80H-045DV</u>	80	4500	D	89	0.87	24	59 1/4	6-Year	6-Year
BWC	<u>M-2-80R6DS</u>	80	4500	D	92	0.88	24	59	6-Year	6-Year
BWC	M-III-80R6DS	80	4500	D	90	0.91	26	59	6-Year	6-Year
BWC	<u>M-2-HE-80R6DS</u>	80	4500	D	92	0.91	24	60	6-Year	6-Year
BWC	M-I-80R10DS	80	4500	D	90	0.82	22	59	10-Year	6-Year
BWC	M-II-80R10DS	80	4500	D	90	0.84	24	59	10-Year	6-Year
BWC	<u>M-1-80R10DS</u>	80	4500	D	92	0.86	22	60 1/4	10-Year	6-Year
AWHC	<u>E92-80H-045DV</u>	80	4500	D	89	0.87	24	59 1/4	9-Year	9-Year
BWC	<u>M-2-80R10DS</u>	80	4500	D	92	0.88	24	59	10-Year	6-Year
BWC	<u>M-2-HE-80R10DS</u>	80	4500	D	92	0.91	24	60	10-Year	6-Year
AWHC	<u>E123-80H-045DCV</u>	80	4500	D	89	0.91	26	60 1/4	12-Year	12-Year
BWC	M-III-80R10DS	80	4500	D	90	0.91	26	59	10-Year	10-Year
<u>TALL 120 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
AWHC	<u>E62-119R-045DV</u>	119	4500	D	115	0.83	28	61 1/2	6-Year	6-Year
BWC	M-II-120R6DS	120	4500	D	122	0.84	28	62 3/4	6-Year	6-Year
BWC	<u>M-2-120R6DS</u>	120	4500	D	118	0.85	28	63 3/4	6-Year	6-Year
BWC	M-II-120R10DS	120	4500	D	122	0.84	28	62 3/4	10-Year	6-Year
BWC	<u>M-2-120R10DS</u>	120	4500	D	118	0.85	28	63 1/4	10-Year	6-Year
<u>REGULAR 30 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
AWHC	<u>E62-30L-045DV</u>	28	4500	D	40	0.93	22	29 1/2	6-Year	6-Year
<u>REGULAR 40 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
BWC	M-I-40S6DS	40	4500	D	60	0.88	18	46 3/4	6-Year	6-Year
BWC	M-II-40S6DS	40	4500	D	60	0.91	20	46 3/4	6-Year	6-Year
AWHC	<u>E62-40R-045DV</u>	40	4500	D	54	0.92	20	47 1/4	6-Year	6-Year
BWC	<u>M-2-40S6DS</u>	40	4500	D	56	0.92	20	46 7/8	6-Year	6-Year
BWC	<u>M-2-HE-40S6DS</u>	40	4500	D	57	0.93	20	47 7/8	6-Year	6-Year
BWC	M-I-40S10DS	40	4500	D	60	0.88	18	46 3/4	10-Year	6-Year
BWC	M-II-40S10DS	40	4500	D	60	0.91	20	46 3/4	10-Year	6-Year
AWHC	<u>E92-40R-045DV</u>	40	4500	D	54	0.92	20	47 1/4	9-Year	9-Year
BWC	<u>M-2-40S10DS</u>	40	4500	D	56	0.92	20	46 7/8	10-Year	6-Year
BWC	<u>M-2-HE-40S10DS</u>	40	4500	D	57	0.93	20	47 7/8	10-Year	6-Year
AWHC	<u>E123-40R-045DHV</u>	40	4500	D	54	0.92	22	47 1/4	12-Year	12-Year

Residential Electric Product

Need Help - Use Bookmarks on the left side.

AWHC AMERICAN
BWC BRADFORD WHITE

Element: 'D' Double; 'S' Single
↑ 1st Hour Rating Gal.
↑ Energy Factor

Brand	Models	Gal.	Watts	Elt	1 st Hr	E.F.	Dia.	Ht.	Tank	Warranty Parts
<u>REGULAR 50 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
BWC	M-I-50S6DS	50	4500	D	66	0.86	20	46 1/2	6-Year	6-Year
AWHC	<u>E61-50R-045DV</u>	50	4500	D	58	0.90	20	50	6-Year	6-Year
BWC	M-II-50S6DS	50	4500	D	66	0.91	22	46 1/2	6-Year	6-Year
BWC	<u>M-2-50S6DS</u>	50	4500	D	67	0.92	22	46 1/2	6-Year	6-Year
AWHC	<u>E63-50R-045DCV</u>	50	4500	D	58	0.93	24	47 3/4	6-Year	6-Year
BWC	<u>M-2-HE-50S6DS</u>	50	4500	D	67	0.93	22	47 1/2	6-Year	6-Year
BWC	M-I-50S10DS	50	4500	D	66	0.86	20	46 1/2	10-Year	6-Year
AWHC	<u>E92-50R-045DV</u>	50	4500	D	58	0.91	22	46 3/4	9-Year	9-Year
BWC	M-II-50S10DS	50	4500	D	66	0.91	22	46 1/2	10-Year	6-Year
BWC	<u>M-2-50S10DS</u>	50	4500	D	67	0.92	22	46 1/2	10-Year	6-Year
BWC	<u>M-2-HE-50S10DS</u>	50	4500	D	67	0.93	22	47 1/2	10-Year	6-Year
AWHC	<u>E123-50R-045DCV</u>	50	4500	D	58	0.93	24	47 3/4	12-Year	12-Year
<u>LOWBOY 20 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
AWHC	<u>E61-19L-045DV</u>	19	4500	D	NA	NA	16	31 1/4	6-Year	6-Year
BWC	M-I-20L6DS	20	4500	D	NA	NA	18	24 3/4	6-Year	6-Year
BWC	<u>M-1-20L6DS</u>	20	4500	D	NA	NA	18	24 7/8	6-Year	6-Year
BWC	M-I-20L10DS	20	4500	D	NA	NA	18	24 3/4	10-Year	6-Year
BWC	<u>M-1-20L10DS</u>	20	4500	D	NA	NA	18	24 7/8	10-Year	6-Year
<u>LOWBOY 30 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
BWC	M-I-30L6DS	30	4500	D	42	0.89	20	29 1/2	6-Year	6-Year
AWHC	<u>E62-30L-045DV</u>	28	4500	D	40	0.93	22	29 1/2	6-Year	6-Year
BWC	<u>M-1-30L6DS***</u>	30	4500	D	47	0.93	20	30	6-Year	6-Year
BWC	<u>M-2-30L6DS</u>	30	4500	D	47	0.94	22	30	6-Year	6-Year
BWC	M-I-30L10DS	30	4500	D	42	0.89	20	29 1/2	10-Year	6-Year
BWC	<u>M-1-30L10DS***</u>	30	4500	D	47	0.93	20	30	10-Year	6-Year
BWC	<u>M-2-30L10DS</u>	30	4500	D	47	0.94	22	30	10-Year	6-Year
<u>LOWBOY 40 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
BWC	M-I-40L6DS	40	4500	D	54	0.88	22	31 3/4	6-Year	6-Year
AWHC	<u>E61-40L-045DV***</u>	38	4500	D	45	0.92	22	31 5/8	6-Year	6-Year
AWHC	<u>E62-40L-045DV</u>	38	4500	D	45	0.92	24	31 5/8	6-Year	6-Year
BWC	<u>M-1-40L6DS***</u>	40	4500	D	58	0.92	22	31 1/4	6-Year	6-Year
BWC	<u>M-2-40L6DS</u>	40	4500	D	58	0.93	24	32 1/8	6-Year	6-Year
BWC	M-I-40L10DS	40	4500	D	54	0.88	22	31 3/4	10-Year	6-Year
BWC	<u>M-1-40L10DS***</u>	40	4500	D	58	0.92	22	31 1/4	10-Year	6-Year
BWC	<u>M-2-40L10DS</u>	40	4500	D	58	0.93	24	32 1/8	10-Year	6-Year
<u>LOWBOY 50 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
BWC	M-I-50L6DS	50	4500	D	57	0.87	24	31 3/4	6-Year	6-Year
AWHC	<u>E61-50L-045DV***</u>	46.5	4500	D	52	0.91	24	31 5/8	6-Year	6-Year
AWHC	<u>E62-50L-045DV</u>	46.5	4500	D	52	0.91	26	31 5/8	6-Year	6-Year
BWC	<u>M-1-50L6DS***</u>	50	4500	D	67	0.91	24	31 3/4	6-Year	6-Year
BWC	<u>M-2-50L6DS</u>	50	4500	D	67	0.91	26	32 1/8	6-Year	6-Year
BWC	M-I-50L10DS	50	4500	D	57	0.87	24	31 3/4	10-Year	6-Year
BWC	<u>M-1-50L10DS***</u>	50	4500	D	67	0.91	24	31 3/4	10-Year	6-Year
BWC	<u>M-2-50L10DS</u>	50	4500	D	67	0.91	26	32 1/8	10-Year	6-Year

Residential Electric Product

Need Help - Use Bookmarks on the left side.

AWHC AMERICAN
BWC BRADFORD WHITE

Element: 'D' Double; 'S' Single
↑ 1st Hour Rating Gal.
↑ Energy Factor

Brand	Models	Gal.	Watts	Elt	1 st Hr	E.F.	Dia.	Ht.	Tank	Parts
<u>MOBILE HOME 30 GALLON</u>										
AWHC	<u>MHE62-30L-045DV</u>	28	4500	D	40	0.93	22	29 1/2	6-Year	6-Year
AWHC	<u>MHE62-30H-045DV</u>	30	4500	D	43	0.93	18	45 1/4	6-Year	6-Year
<u>MOBILE HOME 40 GALLON</u>										
AWHC	<u>MHE62-40R-045DV</u>	40	4500	D	54	0.92	20	47 1/4	6-Year	6-Year
<u>TABLE TOP 30 GALLON</u>										
BWC	J-I-30TT6DS	30	4500	D	40	0.89	24	36	6-Year	6-Year
BWC	J-I-30TT10DS	30	4500	D	40	0.89	24	36	10-Year	6-Year
<u>TABLE TOP 40 GALLON</u>										
AWHC	<u>E62-38T-045DV</u>	38	4500	D	45	0.88	24	36	6-Year	6-Year
BWC	<u>J-I-40TT6DS</u>	38	4500	D	45	0.88	24	36	6-Year	6-Year
BWC	<u>J-I-40TT10DS</u>	38	4500	D	45	0.88	24	36	10-Year	6-Year
<u>UTILITY 2 to 4 GALLON</u>										
AWHC	<u>E1E2.5US013V</u>	2.5	1350	S	NA	NA	14	14	6-Year	6-Year
BWC	M-I-PC2U6SS	2	1500	S	NA	NA	9	12 1/2	6-Year	6-Year
BWC	M-1-PC2U6SS	2	1500	S	NA	NA	10 1/4	12 1/2	6-Year	6-Year
BWC	<u>M-1-2U6SS</u>	2	1500	S	NA	NA	10	12 1/4	6-Year	6-Year
BWC	<u>M-1-2U10SS</u>	2	1500	S	NA	NA	10	12 1/4	10-Year	6-Year
BWC	M-I-PC2U10SS	2	1500	S	NA	NA	9	12 1/2	10-Year	6-Year
BWC	M-1-PC2U10SS	2	1500	S	NA	NA	10 1/4	12 1/2	10-Year	6-Year
<u>UTILITY 6 GALLON</u>										
AWHC	<u>E61-06U-015SV</u>	6	1500	S	NA	NA	14	16 3/4	6-Year	6-Year
BWC	<u>M-1-6U6SS</u>	6	1500	S	NA	NA	14	16 1/2	6-Year	6-Year
BWC	M-I-6U10SS	6	4500	S	NA	NA	14	16 1/2	10-Year	6-Year
BWC	<u>M-1-6U10SS</u>	6	4500	S	NA	NA	14	16 1/2	10-Year	6-Year
<u>UTILITY 10 GALLON</u>										
AWHC	<u>E61-12U-015SV</u>	12	1500	S	NA	NA	16	22 3/4	6-Year	6-Year
BWC	M-I-12UT6SS	12	1500	S	NA	NA	14	27 3/4	6-Year	6-Year
BWC	<u>M-1-12UT6SS</u>	12	1500	S	NA	NA	14	27 3/4	6-Year	6-Year
BWC	M-I-12UT10SS	12	4500	S	NA	NA	14	27 3/4	10-Year	6-Year
BWC	<u>M-1-12UT10SS</u>	12	4500	S	NA	NA	14	27 3/4	10-Year	6-Year
<u>UTILITY 20 GALLON</u>										
AWHC	<u>E61-20U-015SV</u>	19	1500	S	NA	NA	18	25	6-Year	6-Year
BWC	M-I-20U6SS	20	1500	S	NA	NA	18	24 3/4	6-Year	6-Year
BWC	<u>M-1-20U6SS</u>	19	1500	S	NA	NA	18	24 3/4	6-Year	6-Year
BWC	M-I-20U10SS	20	4500	S	NA	NA	18	24 3/4	10-Year	6-Year
BWC	<u>M-1-20U10SS</u>	19	4500	S	NA	NA	18	24 3/4	10-Year	6-Year
<u>UTILITY 30 GALLON</u>										
BWC	M-I-30U6SS	30	4500	S	19	0.89	20	29 3/4	6-Year	6-Year
BWC	<u>M-2-30U6SS</u>	30	4500	S	19	0.93	22	30	6-Year	6-Year
AWHC	<u>MHE62-30L-045DV</u>	28	4500	D	40	0.93	22	29 1/2	6-Year	6-Year
BWC	M-I-30U10SS	30	4500	S	19	0.89	20	29 3/4	10-Year	6-Year
BWC	<u>M-2-30U10SS</u>	30	4500	S	19	0.93	22	30	10-Year	6-Year