

Residential Electric Product

Need Help - Use Bookmarks on the left side.

AWHC AMERICAN
State STATE

Element: 'D' Double; 'S' Single

↑ 1st Hour Rating Gal.

↑ Energy Factor

Warranty

Brand	Models	Gal.	Watts	Elt	1 st Hr	E.F.	Dia.	Ht.	Tank	Parts
<u>TALL 30 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
State	T6-30-2JRT	30	4500	D	45	0.89	18	46	6-Year	6-Year
State	P6-30-2ORT	30	4500	D	45	0.89	18	46	6-Year	6-Year
AWHC	<u>E62-30H-045DV</u>	30	4500	D	43	0.93	18	45 1/4	6-Year	6-Year
State	<u>ES6-30-DORT</u>	30	4500	D	43	0.93	18	46 1/2	6-Year	6-Year
State	PX-30-2ORT	30	4500	D	45	0.89	18	46	10-Year	6-Year
State	PEX-30-2PRT	30	4500	D	45	0.91	19	46	10-Year	6-Year
State	SSX-30-2LRT	30	5500	D	45	0.91	19	46	10-Year	6-Year
State	<u>ESX-30-DORT</u>	30	4500	D	43	0.93	18	46 1/2	10-Year	6-Year
<u>TALL 40 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
State	P6-40-2ORT	40	4500	D	52	0.88	18	59 1/4	6-Year	6-Year
State	P6-40-2ORT 2F	40	4500	D	52	0.88	18	59 1/4	6-Year	6-Year
State	T6-40-2JRT	40	4500	D	54	0.89	18	59 1/2	6-Year	6-Year
AWHC	<u>E62-40H-045DV</u>	40	4500	D	50	0.92	18	59	6-Year	6-Year
State	<u>ES6-40-DORT</u>	40	4500	D	52	0.92	18	59 1/2	6-Year	6-Year
State	<u>ES6-40-DOCT</u>	40	4500	D	54	0.93	19	60	6-Year	6-Year
State	PX-40-2ORT	40	4500	D	52	0.88	18	59 1/2	10-Year	6-Year
State	PEX-40-2PRT	40	4500	D	54	0.90	19	59 1/2	10-Year	6-Year
State	SSX-40-2LRT	40	5500	D	54	0.90	19	59 1/2	10-Year	6-Year
AWHC	<u>E92-40H-045DV</u>	40	4500	D	50	0.92	18	59	9-Year	9-Year
State	<u>ESX-40-DORT</u>	40	4500	D	52	0.92	18	59 1/2	10-Year	6-Year
State	<u>ESX-40-DOCT</u>	40	4500	D	54	0.93	19	60	10-Year	6-Year
AWHC	<u>E123-40H-045DV</u>	40	4500	D	50	0.92	20	59	12-Year	12-Year
State	EPX-40-2SRT-G	40	4500	D	52	0.92	18	60	10-Year	10-Year
State	<u>EPX-40-DXRT</u>	40	4500	D	56	0.95	20	60 1/2	10-Year	10-Year
<u>TALL 50 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
State	T6-52-2JRT	50	4500	D	62	0.88	20	58	6-Year	6-Year
State	P6-52-2ORT	50	4500	D	62	0.88	20	57 1/4	6-Year	6-Year
State	P6-52-2ORT 2F	50	4500	D	62	0.88	20	57 1/4	6-Year	6-Year
State	<u>ES6-55-DORT</u>	55	4500	D	64	0.90	20 1/2	60 1/4	6-Year	6-Year
AWHC	<u>E62-50H-045DV</u>	50	4500	D	68	0.91	20	58 1/2	6-Year	6-Year
State	<u>ES6-52-DOCT</u>	50	4500	D	60	0.93	21 1/2	56 1/2	6-Year	6-Year
State	P6-52-2OCT JW	50	4500	D	64	0.93	22	58	6-Year	6-Year
AWHC	<u>E63-50H-045DOV</u>	50	4500	D	68	0.93	22	59 1/4	6-Year	6-Year
State	PX-52-2ORT	50	4500	D	62	0.88	20	58	10-Year	6-Year
State	PEX-52-2PRT	50	4500	D	62	0.90	21 1/2	58	10-Year	6-Year
State	SSX-52-2LRT	50	5500	D	62	0.90	21	58	10-Year	6-Year
State	<u>ESX-55-DORT</u>	55	4500	D	64	0.90	20 1/2	60 1/4	10-Year	6-Year
AWHC	<u>E92-50H-045DV</u>	50	4500	D	68	0.91	20	58 1/2	9-Year	9-Year
State	<u>ESX-52-DOCT</u>	50	4500	D	60	0.93	21 1/2	56 1/2	10-Year	6-Year
State	EPX-50-2SRT-G	50	4500	D	60	0.92	21 3/4	55 1/2	10-Year	10-Year
AWHC	<u>E123-50H-045DOV</u>	50	4500	D	68	0.93	22	59 1/4	12-Year	12-Year
State	<u>EPX-52-DXRT</u>	50	4500	D	60	0.95	22 1/2	57	10-Year	10-Year

Residential Electric Product

Need Help - Use Bookmarks on the left side.

AWHC AMERICAN
State STATE

Element: 'D' Double; 'S' Single

↑ 1st Hour Rating Gal.

↑ Energy Factor

Warranty

Brand	Models	Gal.	Watts	Elt	1 st Hr	E.F.	Dia.	Ht.	Tank	Parts
<u>TALL 66 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
State	P6-66-2ORT	66	4500	D	76	0.84	22	59 3/4	6-Year	6-Year
State	<u>ES6-66-DORT</u>	66	4500	D	72	0.88	22	60 1/4	6-Year	6-Year
AWHC	<u>E62-65H-045DV</u>	66	4500	D	73	0.90	22	59 1/4	6-Year	6-Year
State	P6-66-2OCT JW	66	4500	D	78	0.91	23	60 1/4	6-Year	6-Year
State	<u>ES6-66-DOCT</u>	66	4500	D	76	0.92	23	61	6-Year	6-Year
State	PX-66-2ORT	66	4500	D	76	0.84	22	60 1/4	10-Year	6-Year
State	<u>ESX-66-DORT</u>	66	4500	D	72	0.88	22	60 1/4	10-Year	6-Year
State	PEX-66-2PRT	66	4500	D	74	0.88	23	60 1/4	10-Year	6-Year
State	SSX-66-2LRT	66	5500	D	74	0.88	23	60 1/4	10-Year	6-Year
AWHC	<u>E92-65H-045DV</u>	66	4500	D	73	0.90	22	59 1/4	9-Year	9-Year
State	<u>ESX-66-DOCT</u>	66	4500	D	76	0.92	23	61	10-Year	6-Year
AWHC	<u>E123-65H-045DCV</u>	66	4500	D	73	0.91	24	60 1/4	12-Year	12-Year
State	<u>EPX-66-DXRT</u>	66	4500	D	72	0.95	24	62	10-Year	10-Year
State	EPX-66-2SRT-G	66	4500	D	76	0.95	24	61	10-Year	10-Year
<u>TALL 80 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
State	P6-82-2ORT	82	4500	D	86	0.83	24	61 1/4	6-Year	6-Year
State	<u>ES6-80-DORT</u>	80	4500	D	81	0.86	24	60 1/2	6-Year	6-Year
AWHC	<u>E62-80H-045DV</u>	80	4500	D	89	0.87	24	59 1/4	6-Year	6-Year
State	P6-82-2OCT JW	80	4500	D	90	0.91	26 1/2	61 1/2	6-Year	6-Year
State	<u>ES6-80-DOCT</u>	80	4500	D	87	0.93	25	61 1/2	6-Year	6-Year
State	PX-82-2ORT	82	4500	D	87	0.83	24	60 1/2	10-Year	6-Year
State	<u>ESX-80-DORT</u>	80	4500	D	81	0.86	24	60 1/4	10-Year	6-Year
State	PEX-82-2PRT	82	4500	D	86	0.87	25	60 1/4	10-Year	6-Year
AWHC	<u>E92-80H-045DV</u>	80	4500	D	89	0.87	24	59 1/4	9-Year	9-Year
State	SSX-82-2LRT	82	5500	D	86	0.88	25	60 1/4	10-Year	6-Year
State	<u>ESX-80-DOCT</u>	80	4500	D	87	0.93	25	61 1/2	10-Year	6-Year
AWHC	<u>E123-80H-045DCV</u>	80	4500	D	89	0.91	26	60 1/4	12-Year	12-Year
State	EPX-80-2SRT-G	80	4500	D	89	0.92	25 1/4	61	10-Year	10-Year
State	<u>EPX-80-DXRT</u>	80	4500	D	81	0.95	26	62	10-Year	10-Year
<u>TALL 120 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
State	P6-120-2ORT	119	4500	D	117	0.80	28	64 3/4	6-Year	6-Year
State	<u>ES6-120-DORT</u>	119	4500	D	112	0.81	28	64 1/4	6-Year	6-Year
AWHC	<u>E62-119R-045DV</u>	119	4500	D	115	0.83	28	61 1/2	6-Year	6-Year
State	PX-120-2ORT	119	4500	D	117	0.80	28	64 1/4	10-Year	6-Year
State	<u>ESX-120-DORT</u>	119	4500	D	112	0.81	28	64 1/4	10-Year	6-Year

Residential Electric Product

Need Help - Use Bookmarks on the left side.

AWHC AMERICAN
State STATE

Element: 'D' Double; 'S' Single

↑ 1st Hour Rating Gal.

↑ Energy Factor

Warranty

Brand	Models	Gal.	Watts	Elt	1 st Hr	E.F.	Dia.	Ht.	Tank	Parts
<u>REGULAR 30 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
State	T6-30-2JRS	30	4500	D	45	0.89	20	36	6-Year	6-Year
State	P6-30-2ORS	30	4500	D	45	0.89	20	38 1/4	6-Year	6-Year
AWHC	<u>E62-30L-045DV</u>	28	4500	D	40	0.93	22	29 1/2	6-Year	6-Year
State	<u>ES6-30-DORS</u>	30	4500	D	43	0.93	20 1/2	36 1/2	6-Year	6-Year
State	PX-30-2ORS	30	4500	D	46	0.89	20	36	10-Year	6-Year
State	<u>ESX-30-DORS</u>	30	4500	D	43	0.93	20 1/2	36 1/2	10-Year	6-Year
<u>REGULAR 40 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
State	P6-40-2ORS	40	4500	D	53	0.88	20	47	6-Year	6-Year
State	T6-40-2JRS	40	4500	D	54	0.88	20	47	6-Year	6-Year
State	<u>ES6-40-DORS</u>	40	4500	D	52	0.92	20 1/2	44	6-Year	6-Year
AWHC	<u>E62-40R-045DV</u>	40	4500	D	54	0.92	20	47 1/4	6-Year	6-Year
State	PX-40-2ORS	40	4500	D	54	0.88	20	47	10-Year	6-Year
State	SSX-40-2LRS	40	5500	D	53	0.89	20	48	10-Year	6-Year
State	PEX-40-2PRS	40	4500	D	54	0.89	20	47	10-Year	6-Year
State	<u>ESX-40-DORS</u>	40	4500	D	52	0.92	20 1/2	44	10-Year	6-Year
AWHC	<u>E92-40R-045DV</u>	40	4500	D	54	0.92	20	47 1/4	9-Year	9-Year
AWHC	<u>E123-40R-045DHV</u>	40	4500	D	54	0.92	22	47 1/4	12-Year	12-Year
State	<u>EPX-40-DXRS</u>	40	4500	D	52	0.95	22 1/2	47	10-Year	10-Year
<u>REGULAR 50 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
State	T6-52-2JRS	50	4500	D	62	0.87	23	46 1/4	6-Year	6-Year
State	P6-52-2ORS	50	4500	D	62	0.87	23	46 1/4	6-Year	6-Year
AWHC	<u>E61-50R-045DV</u>	50	4500	D	58	0.90	20	50	6-Year	6-Year
State	<u>ES6-52-DORS</u>	50	4500	D	62	0.90	22	48	6-Year	6-Year
State	<u>ES6-52-DORT</u>	50	4500	D	60	0.91	20 1/2	54	6-Year	6-Year
AWHC	<u>E63-50R-045DCV</u>	50	4500	D	58	0.93	24	47 3/4	6-Year	6-Year
State	<u>ES6-50-DOCS</u>	50	4500	D	62	0.93	23	49	6-Year	6-Year
State	PEX-52-2PRS	50	4500	D	62	0.87	23	46 1/4	10-Year	6-Year
State	PX-52-2ORS	50	4500	D	62	0.87	23	46 1/4	10-Year	6-Year
State	SSX-52-2LRS	50	5500	D	62	0.87	23	46 1/2	10-Year	6-Year
State	<u>ESX-52-DORS</u>	50	4500	D	62	0.90	22	48	10-Year	6-Year
AWHC	<u>E92-50R-045DV</u>	50	4500	D	58	0.91	22	46 3/4	9-Year	9-Year
State	<u>ESX-52-DORT</u>	50	4500	D	60	0.91	20 1/2	54	10-Year	6-Year
State	<u>ESX-50-DOCS</u>	50	4500	D	62	0.93	23	49	10-Year	6-Year
AWHC	<u>E123-50R-045DCV</u>	50	4500	D	58	0.93	24	47 3/4	12-Year	12-Year
State	<u>EPX-50-DXRS</u>	50	4500	D	62	0.95	24	50	10-Year	10-Year

Residential Electric Product

Need Help - Use Bookmarks on the left side.

AWHC AMERICAN
State STATE

Element: 'D' Double; 'S' Single
 ↑ 1st Hour Rating Gal.
 ↑ Energy Factor

Brand	Models	Gal.	Watts	Elt	1 st Hr	E.F.	Dia.	Ht.	Tank	Warranty Parts
<u>LOWBOY 20 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
AWHC	<u>E61-19L-045DV</u>	19	4500	D	NA	NA	16	31 1/4	6-Year	6-Year
<u>LOWBOY 30 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
State	T6-30-2JLS	30	4500	D	45	0.89	22	29 3/4	6-Year	6-Year
State	P6-30-2OLS	30	4500	D	45	0.89	22	29 3/4	6-Year	6-Year
AWHC	<u>E62-30L-045DV</u>	28	4500	D	40	0.93	22	29 1/2	6-Year	6-Year
State	<u>ES6-30-DOLS</u>	29	4500	D	41	0.93	22	30	6-Year	6-Year
State	PX-30-2OLS	30	4500	D	45	0.89	22	29 3/4	10-Year	6-Year
State	<u>ESX-30-DOLS</u>	30	4500	D	41	0.93	22	30	10-Year	6-Year
<u>LOWBOY 40 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
State	T6-40-2JLS	40	4500	D	52	0.88	24	31 1/2	6-Year	6-Year
State	P6-40-2OLS	40	4500	D	53	0.88	24	31 1/2	6-Year	6-Year
AWHC	<u>E61-40L-045DV***</u>	38	4500	D	45	0.92	22	31 5/8	6-Year	6-Year
AWHC	<u>E62-40L-045DV</u>	38	4500	D	45	0.92	24	31 5/8	6-Year	6-Year
State	<u>ES6-40-DOLNS</u>	38	4500	D	48	0.92	23	31 1/2	6-Year	6-Year
State	ES6-40-DOLS	40	4500	D	48	0.92	25	32 1/4	6-Year	6-Year
State	PX-40-2OLS	40	4500	D	52	0.88	24	31 1/2	10-Year	6-Year
State	ESX-40-DOLS	40	4500	D	48	0.92	25	32 1/4	10-Year	6-Year
<u>LOWBOY 50 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
State	T6-50-2JLS	47	4500	D	58	0.87	25	31 3/4	6-Year	6-Year
State	P6-50-2OLS	47	4500	D	58	0.87	25	32 1/4	6-Year	6-Year
State	<u>ES6-50-DOLS</u>	47	4500	D	55	0.90	26 1/2	34	6-Year	6-Year
AWHC	<u>E61-50L-045DV***</u>	46.5	4500	D	52	0.91	24	31 5/8	6-Year	6-Year
AWHC	<u>E62-50L-045DV</u>	46.5	4500	D	52	0.91	26	31 5/8	6-Year	6-Year
State	PX-50-2OLS	47	4500	D	58	0.87	25	31 3/4	10-Year	6-Year
State	ESX-50-DOLS	50	4500	D	55	0.90	26 1/2	34	10-Year	6-Year
<u>MOBILE HOME 20 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
State	<u>SCV-20-1HMT K</u>	20	1650	S	NA	NA	17	34	5-Year	1-Year
<u>MOBILE HOME 30 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
State	SCI-30-2HMS	30	4500	D	45	0.89	22	29 3/4	6-Year	6-Year
State	SCV-30-2HMS	30	3800	D	46	0.89	19	39 1/4	6-Year	6-Year
AWHC	<u>MHE62-30L-045DV</u>	28	4500	D	40	0.93	22	29 1/2	6-Year	6-Year
AWHC	<u>MHE62-30H-045DV</u>	30	4500	D	43	0.93	18	45 1/4	6-Year	6-Year
State	<u>SCV-30-DHMS</u>	30	3800	D	43	0.93	20 1/2	37 1/2	5-Year	1-Year
<u>MOBILE HOME 40 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
State	SCV-40-2HMS	40	3800	D	54	0.88	19	50 1/4	6-Year	6-Year
State	SCI-40-2HMS	40	4500	D	54	0.88	20	47	6-Year	6-Year
AWHC	<u>MHE62-40R-045DV</u>	40	4500	D	54	0.92	20	47 1/4	6-Year	6-Year
State	<u>SCV-40-DHMS</u>	40	3800	D	51	0.93	20 1/2	46	5-Year	1-Year
<u>MOBILE HOME 50 GALLON</u>		Gal.	Watts	Elt	1stHr	E.F.	Dia.	Ht.	Tank	Parts
State	SCV-52-2HMT	50	3800	D	62	0.87	19	58	6-Year	6-Year
State	SCI-52-2HMT	50	4500	D	62	0.87	20	58	6-Year	6-Year
State	<u>SCV-52-DHMT</u>	50	3800	D	51	0.93	20 1/2	56	5-Year	1-Year

Residential Electric Product

Need Help - Use Bookmarks on the left side.

AWHC AMERICAN
State STATE

Element: 'D' Double; 'S' Single

↑ 1st Hour Rating Gal.

↑ Energy Factor

Warranty

Brand	Models	Gal.	Watts	Elt	1 st Hr	E.F.	Dia.	Ht.	Tank	Parts
<u>TABLE TOP 30 GALLON</u>										
State	<u>P6-30-2OT1</u>	27	4500	D	45	0.89	21	36	6-Year	6-Year
<u>TABLE TOP 40 GALLON</u>										
AWHC	<u>E62-38T-045DV</u>	38	4500	D	45	0.88	24	36	6-Year	6-Year
State	<u>P6-40-2OT4</u>	40	4500	D	52	0.88	24	36	6-Year	6-Year
<u>UTILITY 2 to 4 GALLON</u>										
State	SCI-2-1SUS	2	1500	S	NA	NA	10	12 3/4	1-Year	1-Year
AWHC	<u>E1E2.5US013V</u>	2.5	1350	S	NA	NA	14	14	6-Year	6-Year
State	<u>ES6-2-SSUS K</u>	2	1440	S	NA	NA	10	12 3/4	6-Year	6-Year
State	SCI-4-1SUS	4	1500	S	NA	NA	10	20	1-Year	1-Year
State	<u>ES6-4-SSUS K</u>	4	1440	S	NA	NA	10	20	6-Year	6-Year
<u>UTILITY 6 GALLON</u>										
AWHC	<u>E61-06U-015SV</u>	6	1500	S	NA	NA	14	16 3/4	6-Year	6-Year
State	<u>P6-6-1OMS-K</u>	6	1650	S	NA	NA	14	17 1/4	6-Year	6-Year
<u>UTILITY 10 GALLON</u>										
AWHC	<u>E61-12U-015SV</u>	12	1500	S	NA	NA	16	22 3/4	6-Year	6-Year
State	<u>P6-10-1OMS-K</u>	10	1650	S	NA	NA	16	17 1/4	6-Year	6-Year
<u>UTILITY 15 GALLON</u>										
State	<u>P6-17-1OMS-K</u>	17	1650	S	NA	NA	18	28	6-Year	6-Year
<u>UTILITY 20 GALLON</u>										
AWHC	<u>E61-20U-015SV</u>	19	1500	S	NA	NA	18	25	6-Year	6-Year
State	<u>P6-20-1OMS-K</u>	19.9	1650	S	NA	NA	20	21 3/4	6-Year	6-Year
<u>UTILITY 30 GALLON</u>										
State	P6-30-1OMS-K	30	1650	S	32	0.89	22	29 3/4	6-Year	6-Year
State	<u>ES6-30-SOMS K</u>	29	1650	S	37	0.93	22	30	6-Year	6-Year
AWHC	<u>MHE62-30L-045DV</u>	28	4500	D	40	0.93	22	29 1/2	6-Year	6-Year
<u>UTILITY 40 GALLON</u>										
State	<u>ES6-40-SOMNS K</u>	38	1650	S	43	0.92	23	31 1/2	6-Year	6-Year
State	ES6-40-SOMS K	40	1650	S	43	0.92	25 3/4	32 1/4	6-Year	6-Year